



## FLEXIBLE STEM WITH LOCKING PLIER

- Dial Indicator
- Flexible stem dial holder
- Locking plier base

**Model No. 625-0620**

Including metric dial indicator 0-10mm

**Model No. 625-0621**

Including inch dial indicator 0-1"



Plastic Box, Model No. 135-CP28


## UNIVERSAL INDICATOR HOLDERS

- Clamping dia. 1-7/8".
- Length from clamping bracket to indicator 4-1/2".
- Suitable for all popular indicators with 5/32" shank or dovetail.
- Mounts with single pressure screw directly on machine quill, by passing the working tool.
- Guaranteed accurate readings.
- For milling machines & jig bores.
- A quicker way of indicating.
- Does not disturb the working tool.



**Model No. 625-8522**

## MAGNETIC DRESSER



- This is used with other machine to dress the grinding wheel
- Magnetic power is 60KG
- The base size is 55x50x63mm
- With a diamond per

**Model No.**

**625-0640, with diamond pen**

**Model No.**

**625-0645, without diamond pen**

## MAGNETIC OPERATION



- With ON/OFF switch
- This unit is used to lift small tools, parts. It is very handy to be used in family workshop.

Magnetic Force	Base Size(HxWxL)	Model No.
60KG	55x50x63mm	625-0700
80KG	55x50x69mm	625-0705
100KG	55x50x88mm	625-0710
120KG	55x50x118mm	625-0715

## HYDRAULIC UNIVERSAL MAGNETIC BASE HOLDER



- Unique hydraulic clamping system.
- Can hold all style dial indicators and dial test indicators.
- On-off switch base.
- Indicator not included

Magnetic Working			
Pull	Stem	Base Dimension	Model No.
60kg	380mm	63x50x55mm	625-1360
80kg	380mm	70x50x55mm	625-1380

## UNIVERSAL MAGNETIC INDICATOR HOLDERS

- Excellent workmanship on many applications.
- Fine adjustment clamp.
- Dovetail clamp for test indicator.
- 1/4" holes for 1/4" stem indicator.
- All knurled knobs and lock screws.


**Square Base**

**Model No. 625-0510**

**Circular Pot Base**

**Model No. 625-0520**






## UNIVERSAL ON-OFF MAGNETIC STAND

Magnetic Power	Base Size	Working Stem	Steel Arm	Steal Arm With AL-Alloy Joint	All-Alloy Arm
			Model No.	Model No.	Model No.
40 kgs	63x50x55	320mm	625-1140	625-1141	625-1142
60kgs	63x50x55	350mm	625-1160	625-1161	625-1162
80kgs	83x50x55	330mm	625-1180	625-1181	625-1182

## MAGNETIC BASE INDICATOR HOLDER

Accommodates almost any type test and dial indicator. Large 1/4" lug back type indicators mount in special links for more flexible in position Precision lateral adjustment enables better zero setting. Magnetic pull-over 50lbs.



Descriptions	Type	Model No.
Base 3-1/2x1-1/8x1" O with Side Arm	B	625-0471
3-1/2x1-1/8x1" O without Arm	A	625-0470
3-1/2x1-1/8x1" O with Centre Arm	C	625-0472
3-1/2x1-1/8x1-1/2with Attachments		625-0473

## MAGNETIC STANDS



- Accept all A.G.D dial indicators with lug backs.
- Accept dial test indicator stems .375"/9.52mm dia. and .156" /3.96mm dia.
- On and off lever releases magnet, base doesn't have to be pulled off, no risk of marring polished surfaces.
- Quick adjustment clamp.
- Universal adjustment in horizontal and vertical planes.

With Fine Adjustment      Base

Magnetic Pull	Working Stem	Base Size	With Fine Adjustment	
			Base Model No.	Model No.
40kg	176mm/12mm	63x50x55mm	625-0300	625-0340
60kg	176mm/12mm	63x50x55mm	625-0301	625-0341
80kg	176mm/12mm	70x50x55mm	625-0302	625-0342
40kg	225mm/16mm	63x50x55mm	625-3300	625-3340
60kg	225mm/16mm	63x50x55mm	625-3301	625-3341
80kg	225mm/16mm	70x50x55mm	625-3302	625-3342
100kg	360mm/20mm	83x50x55mm		625-0360

### Base Only with On/Off Switch

Magnetic Pull	Dimensions	Model No.
40kg	63x50x55mm M8	625-0940
60kg	63x50x55mm M8	625-0960
60kg	70x45x65mm M10	625-0961
80kg	75x60x80mm M12	625-0962
80kg	70x50x55mm M8	625-0980
80kg	70x50x55mm M10	625-0981
100kg	83x50x55mm M10	629-0982

## MAGNETIC STANDS

### Germany Style



Magnetic power	Base Size	Assistant		Model No.
		Main Stem	Stem	
60kgs	70x45x65	230x16M10	260x16	625-0343
80kgs	70x60x80	412x20M12	260x16	625-0344


- Model No. 625-0201, Skack Only for 60kgs(625-0343)
- Model No. 625-0205, Skack Only for 80kgs(625-0344)

## PUSH-BUTTON STYLE MAG. STANDS



- Provided with ON/OFF push button.
- Especially designed for use with dial gages, to work on surface plate and machine table.
- Complete with powerful magnet.

Description	Model No.
Standard type	625-0905
W/F.Adjustment	625-0910



## UNIVERSAL STAND

- Base size 220x60x40mm  
Main stem size 220x14mm
- Diameter of hole is 8.0+0.02mm
- Work angle is 135°

**Base**  
**Model No.**  
**625-1262**



**With Fine Adjustment**  
**Model No.**  
**625-1264**



## MAGNETIC SQUARE BLOCK



Work Magnetic Force		Base Dimension	Model No.
V-mould Plane	Parallels Plane		
25kg	50kg	100x100x100mm	625-0600
50kg	140kg	150x150x150mm	625-0650

## MAGNETIC BASE LIGHTING UNIT



- Portable.
- Attaches quickly to machine or fixture.
- Body size: 2 x 2 x 2 -1/2".
- Height: 9-3/4"
- "UL" or "CE" Plug and wire

Power	Model No.
40kg	625-1240
60kg	625-1260

## MINI UNIVERSAL MAGNETIC STAND



625-0581



625-0582

- Base Size 30x30x30mm
- Working Stem 150mm
- **Model No. 625-0581**, Push-Button-switch ON/OFF, magnetic power 17kg
- **Model No. 625-0582**, Rotary-switch ON/OFF, magnetic power 30kg

## MAGNETIC STAND QUICK-LOCK COOLANT HOSE SYSTEMS



- Quickly attach to any metallic surface.
- Strong holding power.
- 1/4" dia flexible coolant hoses attached to on-off magnetic base.

Base Power	Coolant Hose & length	Base Size	Model. No
110lbs	1 x 14"	2-1/2 x 2 x 2-7/8"	625-0402
175lbs	1 x 14"	2-3/4 x 2 x 2-7/8"	625-0404
110lbs	2 x 14"	2-1/2 x 2 x 2-7/8"	625-0406
175lbs	2 x 14"	2-3/4 x 2 x 2-7/8"	625-0408
110lbs	3 x 15"	2-1/2 x 2 x 2-7/8"	625-0410
175lbs	3 x 15"	2-3/4 x 2 x 2-7/8"	625-0412

## FLEXIBLE STEM MAGNETIC STAND

- Work angle 150°
- W/F adjustable
- With a scribe
- Magnetic force is 60kg
- Base size is 55x50x63mm
- Length of stem is 270mm




Model No. 625-0800



- Work angle 150°
- Magnetic force is 15kg
- Base size is 30x28mm
- Length of stem is 270mm

Model No. 625-0850



# Measuring Tools

## GRANITE COMPARATOR STANDS

- Micro screw fingertip control.
- 0.0005" flatness.
- Extreme stability.
- 6 x 6 x 2" base.
- 10" height.
- Accepts all A.G.D. indicators



Descriptions	Model No.
6 x 6 x 2" granite base only.	625-8504
frame only.	625-8508
6 x 6 x 2" base and frame	625-8510
625-8510 with 1" indicator	625-8511

## STEEL DIAL COMPARATOR STANDS

- 5-1/2X4-1/8" working surface.

Model No. 625-8520



Indicator Not Included

## "UNI-MAG" DIRECT MOUNT MAGNETIC BASE

- Permanent magnet.
- Fits all A.G.D. indicators



Size	Model No.
1 5/8" x 1 1/4" x 9/16"	625-0451
1 1/2" x 1 1/4" x 5/16"	625-0452

## HYDRAULIC UNIVERSAL MAGNETIC STAND



Dial Indicator Not Include

Magnetic Working			
Pull	Stem	Base Dimension	Model No.
60kg	330mm	63x50x55mm	625-1361
60kg	380mm	63x50x55mm	625-1362
80kg	330mm	70x50x55mm	625-1381
80kg	380mm	70x50x55mm	625-1382

WWW.PRECOTOOLS.CN

## MAGNETIC BASE INDICATOR HOLDERS

Versatile , Powerful, Compact & Rugged



- Powerful magnetic pull.
- Six mounting locations for indicators and accessories.
- Three 1/4"-20 tapped holes.
- One 10-32 tapped hole.
- One 3/8" mounting hole.
- One V-shaped Mounting Hole.
- 4"x1"x1".

Descriptions	Model No.
Tiny-Titan Base	625-0450
Base plus 605-4070 1" travel indicator	625-0455
Base plus 605-4205 2" travel indicator	625-0460

## POT MAGNETS


- For use as magnetic fasteners.
- Comes with plated keeper.



Outside Diameter	Height	Hole	Model No.
21/32"	5/8"	5/16"-18	625-0382
7/8"	3/4"	5/16"-18	625-0384
1-1/16"	1"	5/16"-18	625-0386
1-3/8"	1-3/16"	5/16"-18	625-0388

## FLEXIBLE STEM MAGNETIC BASE HOLDERS

- Stem flexes almost 360°
- Locks into exact position with a cam lever-operated cable and tension adjustment.
- Accept all AGD type indicator



Magnetic Power	Base Size	Model No.
40 kgs	2-1/2x2x2-1/8"	625-1040
60kgs	2-3/4x2x2-1/8"	625-1060
80kgs	2-3/4x2x2-1/8"	625-1080