



## MEASURING LASER LEVEL



**Model No.831-0002(3pcs/sex cineling Laser Level,Ro-  
tary base and tripod)**

Use SCAN LASER together with rotary base and tripod, you can not only  
measure but also aline at any height.

**Model No.831-0003(measuring leaser level only)**

**6018.400mm TYPE CJL62**

**Model No.831-0012(Rotary Base TYPE "D" only)**

**Model No.831-0020(Triped only,6118,leagth38-102cm)**


**Model No.831-0021(Triped only,5025,leagth47.5-124cm)**

## LASER LEVEL



Spec	Model No.
16"/40cm	831-0140
20"/50cm	831-0150
24"/60cm	831-0160

## LASER LEVEL WITH LINE & PLUMB POINT LENS



Spec	Model No.
24"/60cm	831-0260

## SCAN LASER LEVEL



**Model No.831-0001(set in plastic box,  
unduding Scan laser Level,tripad 4pcs  
Bsueries are 6v-changer)**

Use SCAN LASER together with tripod, you can precisely  
and conveniently aline at any height.

**Model No.831-0005,(Scan laser level only)**

## ANGLE SPIRIT LEVEL



**Model No.831-8118**


With round angle gage

Powder coat finish

With 2 vials

Length 45 cm

## LENS



**Plumb Point Lens**

**Line Lens**

**Split Lens**

**Model No.831-0016**

**Model No.831-0017**

**Model No.831-0018**

## ENHANCEMENT GLASSES



**Model No.831-0013**

## LASER LEVEL WITH ENHANDCEMENT GLASSES

Spec	Model No.
20"/50cm	831-0350
24"/60cm	831-0360



## LASER LEVEL WITH ROTARY BASE TYPE D



Base can be  
rotated through 360°



Spec	Model No.
12"/30cm	831-0430
16"/40cm	831-0440
24"/60cm	831-0460

## LASER LEVEL KIT 8110



LASER LEVEL 40CM  
Complete in blow mould case with Die  
cast rotary base type E, Tripod,  
Line lens, Plumb point lens

Spec	Model No.
16"/40cm	831-0540

**Model No.831-0011,die cast notary Base only type "c"**


## LASER LEVEL KIT 6110



LASER LEVEL 40CM  
Complete in blow mould case  
with ABS rotary base type D,  
Tripod,

Line lens, Plumb point lens

Spec	Model No.
16"/40cm	831-0640



# Measuring Tools

## LASER LEVEL

### LASER LEVEL KIT 9210



Laser Level 40CM  
Complete in blow mould case with die cast rotary base type E, Tripod, Copper line lens, Copper plumb point lens, Target plate with folding rule, 2 AAA batteries

Spec	Model No.
16"/40cm	831-0740

### LASER LEVEL KIT 5210



Laser Level 30CM  
Complete in blow mould case with ASB rotary base type D, line lens, Plumb point lens, Enhancement glasses.

Spec	Model No.
12"/30cm	831-0830

## MINI LASER LEVEL KIT

### Mini Laser Level Kit 5052



Mini Laser Level 135mm  
With magnet  
Complete in double blister pack with tripod and pouch



Spec	Model No.
135mm	831-0135

### Mini Laser Level Kit 5053

MINI LASER LEVEL 135mm  
With magnet  
Complete in double blister pack with 2 AAA batteries and pouch



Spec	Model No.
135mm	831-1135

## SPIRIT LEVEL




LD-2001B



LD-2001-1B



DP-97-3B



DP-2002-1B

Material thickness: 1.5mm

LD-2001B Model No.	LD-2001B Model No.	DP-97-3B Model No.	DP-2002-1B Model No.	Size (cm)
831-7306	831-7706	831-7806	831-7906	60
831-7308	831-7708	831-7808	831-7908	80
831-7310	831-7710	831-7810	831-7910	100
831-7312	831-7712	831-7812	831-7912	120
831-7315	831-7715	831-7815	831-7915	150
831-7320	831-7720	831-7820	831-7920	200

## SPIRIT LEVEL



DP-98B



LD-2002B

Material thickness: 2.0mm

DP-2002B Model No.	LD-98B Model No.	Size (cm)
831-7103		30
831-7104	831-7204	40
831-7105		50
831-7106	831-7206	60
831-7108	831-7208	800
831-7110	831-7210	100
831-7112	831-7212	120
831-7115	831-7215	150
831-7120	831-7220	200

## SPIRIT LEVEL



DP-97-1B

DP-2000B




DP-97B

Material thickness: 1.5mm

DP-97-1B Model No.	DP-97B Model No.	DP-2000B Model No.	Size (cm)
831-7406	831-7506	831-7606	60
831-7408	831-7508	831-7608	80
831-7410	831-7510	831-7610	100
831-7412	831-7512	831-7612	120
831-7415	831-7515	831-7615	150
831-7420	831-7520	831-7620	200

# Measuring Tools



## MAGNETIC SPIRIT LEVEL 98SB

Box-profile of extruded aluminium Powder coat finish  
With 3 vials and magnet



Spec	Model No.
160/40cm	831-3040
200/50cm	831-3050
240/60cm	831-3060
320/80cm	831-3080
400/100cm	831-3100

## TELESCOPIC SPIRIT LEVEL

Box-profile of extruded aluminium Silver anodized surface With 3 vials



Spec	Model No.
56-80cm	831-4080
60-80cm	831-4180
60-90cm	831-4090
70-100cm	831-4100
76-120cm	831-4120
80-120cm	831-4220
96-120cm	831-4320

## ANGLE SPIRIT LEVEL



Model No. 831-8120

## DISTANCE MEASURING WHEELS



Dia (mm)	measuring range (m)	Model No.
318	0-9999	831-8860

## ROTARY SCAN LASER LEVEL

It is one type of integrated instrument of light, mechanism and electricity, you may have easy measurement or set of a level reference surface by it's auto-rotating laser beam. It is widely used in the construction work or measurement both indoor and outdoor.

Accuracy:  $\pm 5\text{mm}/10\text{m}$   
Long vial accuracy:  $0.05^\circ = 0.87\text{mm}/\text{m}$   
Wavelength of the laser: 650nm  
Power output of the laser:  $\leq 1\text{mW}$   
Power: DC 6V



Model No. 831-0004

set in plastic box.including rotary laser, tripod  
580-1530mm, glasses & 4 pcs batteries



## TOWER TAPE



Size (m)	Model No.
3	831-8873
5	831-8875
8	831-8878

## ANGLE FINDER



Model No. 831-8850